UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/551,006	05/30/2006	Jorg Peter	3425	1382
Walter A Hackl	7590 10/17/200 er	EXAMINER		
Patent Law Off		PATEL, VISHAL A		
2372 S E Bristol Street Suite B			ART UNIT	PAPER NUMBER
Newport Beach, CA 92660-0755			3676	
			MAIL DATE	DELIVERY MODE
			10/17/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Comments	10/551,006	PETER ET AL.				
Office Action Summary	Examiner	Art Unit				
	Vishal Patel	3676				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on 19 Se	entember 2008 and 21 May 2008					
	Responsive to communication(s) filed on <u>19 September 2008 and 21 May 2008</u> . This action is FINAL . 2b) This action is non-final.					
·= ·	/					
) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
closed in accordance with the practice under Z	x parte Quayle, 1935 C.D. 11, 45	3 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>2-8 and 10</u> is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>2-8 and 10</u> is/are rejected.						
7) Claim(s) is/are objected to.						
· · · · ·	e election requirement					
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner.						
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892)	4) ☐ Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date					
3) Information Disclosure Statement(s) (PTO/SB/08)	5) Notice of Informal Pa	atent Application				
Paper No(s)/Mail Date 6) U Other:						

Application/Control Number: 10/551,006 Page 2

Art Unit: 3676

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 5/21/08 has been entered.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 10, 2-3, 5 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Franson et al (US. 5,127,661) in view of Weinand (US. 3,656,227).

Franson discloses a sealing arrangement for hydraulic pistons or piston rods, comprising a U-cup (e.g. 78) of a viscoplastic synthetic material, a stationary machine part (e.g. 68) and a movable machine part (e.g. 84) with an outer radius R (Radius of 84), the U-cup (e.g. 78) is disposed as a contacting joint under radial pre-stress between the stationary machine part and the movable machine part in a profiled section (e.g. groove in 68 holding the U-cup) of the stationary machine part, the U-cup has a radially outer lip (e.g. 100) and a radially inner sealing lip (e.g. 92) on the high-pressure side, the stationary and the movable machine parts are separated on the low- pressure side by a sealing gap (e.g. gap near 80 between 68 and 84) of a

Art Unit: 3676

sealing gap width B, wherein an abutment surface (e.g. 88) of the U-cup abuts a radially oriented region (e.g. back wall of the groove) of the profiled section on the low-pressure side, wherein the U-cup has an inner radius (inner radius of 78) and an outer radius (outer radius of 78), both in the unpressurized state and in the pressurized state, the inner radius of the U-cup in the region of the abutment surface is larger than the sum of R and B (figures 2 and 4 show this relation ship of radiuses) and the U-cup comprises an inner surface (e.g. inner surface of 92) facing the movable machine part. In the unpressurized state, the inner radius of the U-cup decreases (figure 4 shows that the inner radius decreases continuously), in particular continuously, from the low-pressure side towards the inner sealing lip (e.g. 92) in a region around the abutment surface. In the unpressurized state, the inner radius of the U-cup decreases continuously, in particular like a cone (cone shaped defined on the inner radius as shown in figure 4), from the low-pressure side N towards the inner sealing lip (e.g. 92) in a region from the abutment surface to the inner sealing lip. In that the U-cup has an outer surface (outer surface having 102) facing away from the movable machine part, the outer surface is curved concavely (concave surface after 102) in the unpressurized state. The inner surface is spaced from the movable machine part (as shown in figure 2, the inner surface of 102 is spaced from the movable machine part having surface 84, hence any recesses placed on this surface will also be spaced from the movable machine part, furthermore any recess is incapable of contacting a surface).

Franson discloses the invention substantially as claimed above but fails to disclose that the inner surface comprising several lubrication bore relief that are recesses and the recesses each extend in an axial direction from the low pressure side of the U-cup toward the inner sealing lip, and the radial depth of the individual recesses decreases from the low-pressure side of the U-cup

Application/Control Number: 10/551,006

microstructure relative large recesses).

Art Unit: 3676

toward the inner sealing lip. Weinand teaches a sealing member having a lip (e.g. 114), the lip having an inner surface (surface having recesses 80), the inner surface having recesses, the recesses extend from an air side (air side opposite 142), the recesses having a radial depth that decrease from the air side to the lip (the greatest depth of the recesses is shown near phantom line 36 which decreases from air side toward the lip, figure 1). It would have been obvious to one having ordinary skill in the art at the time the invention was made to configure the inner surface of the lip of Franson to have recesses as taught by Weinand, to provide lubricant return and a film to reduce wear (inherent teaching of recesses on a lip and also stated in column 1, lines 10-15 and 73-74). Furthermore the recesses of Weinand are considered to be microstructures (the term microstructure is a relative term and the recesses of Weinand are

Page 4

4. Claims 4 and 6-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Franson and Weinand as applied to claims above, and further in view of Haberkorn (US, 3,189,359).

Regarding claims 4 and 6-7: Franson and Weinand fail to disclose that the outer and inner surface near the abutment surface is convex. Haberkorn teaches a seal having a U-shape having an abutment surface (12) and inner surface and outer surface (21 and 22) adjacent to the abutment surface that are convex like a circular arc (the surface 22 and 21 are convex). It would have been obvious to one having ordinary skill in the art at the time the invention was made to have the outer and inner surface of Franson and Weinand to be convex as taught by Haberkorn to provide proper sealing under high-pressure (column 3, lines 40-43 of Haberkorn).

Application/Control Number: 10/551,006 Page 5

Art Unit: 3676

Response to Arguments

5. Applicant's arguments filed 5/21/08 have been fully considered but they are not persuasive.

- 6. Applicants argument that the examiner has not provided motivation to establish a 103 rejection is not persuasive because as found clearly in the reference of Weinand that the reasons for recesses is to provide lubricant return (column 1, lines 10-15 and 74-75 of Weinand) that has passed from reservoir 42 and to environment opposite the reservoir (column 4, lines 1-15 of Weinand).
- 7. Applicants' argument that the benefit to upgrade Franson seal with Weinand recesses to enable passes of hydraulic fluid is not correct because the recesses of Weinand is to provide relief and return of fluid back to the reservoir or environment being sealed (column 1, lines 10-15 and column 4, lines 1-15 of Weinand).
- 8. Applicants' argument that combining Weinand teaching to Franson would destroy the invention of Franson is not persuasive (see arguments presented in paragraph 6-7).
- 9. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., lubricant and/or lubricant passage and/or hydraulic fluid passed from the low pressure side to high pressure side) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Conclusion

Page 6

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vishal Patel whose telephone number is 571-272-7060. The examiner can normally be reached on 6:30am to 8:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jennifer H. Gay can be reached on 571-272-7029. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/551,006 Page 7

Art Unit: 3676

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/V. P./

Primary Examiner, Art Unit 3676

/Vishal Patel/ Primary Examiner, Art Unit 3676